EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	"10564003".rlan. or ("10".src. and "564003".ap.)	US-PGPUB; USPAT; USOCR; DERWENT	ADJ	ON	2009/04/13 11:10
S2	9	((THORSTEN) near2 (ULLRICH)).INV.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/13 11:14
S3	745	continental teves	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/13 11:19
S4	4268	continental teves	EPO; DERWENT	ADJ	ON	2009/04/13 11:19
S8	4268	continental adj1 teves	EPO; DERWENT	ADJ	ON	2009/04/13 11:20
S9	81	"303/122.08".CCLS.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/13 11:33
S11	1	(("9941125") or ("0477519")).PN.	EPO; DERWENT	OR	OFF	2009/04/13 12:16
S12	4	(("19603863") or ("19603867") or ("19603909")).PN.	EPO; DERWENT	OR	OFF	2009/04/13 12:20
S14	1	("3964017").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/04/13 12:25
S15	3	("5265468"|"5499866"|"5908983").PN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/14 11:27
S16	17	("3729734" | "4817418" | "4926683").PN. OR ("5265468").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/14 11:58
S17	13	(("2195156") or ("2218764") or ("0330149") or ("0357922") or ("0187901") or ("3922947") or ("0410584")).PN.	EPO; DERWENT	OR	OFF	2009/04/14 12:28
S18	4	(303/122).CCLS.	EPO; DERWENT	OR	OFF	2009/04/14 12:32
S19	0	("0000073").PN.	EPO; DERWENT	OR	OFF	2009/04/14 12:33
S20	9934	("73").CLAS.	EPO; DERWENT	OR	OFF	2009/04/14 12:33
S21	148	(303/122).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/04/14 12:34
S22	190127	("73").CLAS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/04/14 13:38

5/11/2009 8:57:12 AM
C:\Documents and Settings\rdodd\My Documents\EAST\Workspaces\10564003 - method for brake system monitor.wsp

Page 1

S23	2240	(73/23.2,121,862,700).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/04/14 13:39
S24	268	(73/121).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/04/14 13:39
S25	81	"303/122.08".CCLS.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/14 13:42
S26	481	S21 or S25 or S24	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/14 13:42
S27	0	("2006/0186735").URPN.	USPAT	ADJ	ON	2009/04/14 13:43
S28	12	((THORSTEN) near2 (ULLRICH)).INV.	EPO; JPO; DERWENT	ADJ	ON	2009/04/14 13:43
S29	13	S26 and volume near7 accumulator	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/14 15:02
S30	0	("2003/0038538").URPN.	USPAT	ADJ	ON	2009/04/14 17:57
S31	162	S26 and ((value or nominal or threshold or defined or correlat$5 or compar$5) near5 pressure)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/14 18:04
S32	144	S26 and (((value or nominal or threshold or defined or correlat$5 or compar$5) near5 pressure) same brake)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/14 18:10
S33	49	S26 and (((value or nominal or threshold or defined or correlat$5 or compar$5) near5 pressure) same method)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/14 18:10
S34	14	("3974687" | "4050298" | "4083032" | "4100792" | "4824182" | "5074145" | "5132664" | "5357800" | "5378052").PN. OR ("5767397").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/15 10:29
S35	148	(303/122).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/04/15 11:03
S36	268	(73/121).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/04/15 11:03
S37	81	"303/122.08".CCLS.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/15 11:03
S38	481	S35 or S37 or S36	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/15 11:03
S39	2	S38 and (volume with integrat$5)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/15 11:03

5/11/2009 8:57:12 AM
C:\Documents and Settings\rdodd\My Documents\EAST\Workspaces\10564003 - method for brake system monitor.wsp

Page 2

S40	15	S38 and ((value or nominal or threshold or defined or correlat$5 or compar$5) near5 volume)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/15 11:42
S41	61	73/19.04	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/20 18:54
S42	1	S41 and brake	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/20 18:55
S44	8	("4100792" | "5449226" | "5605385" | "5620241" | "5767397" | "5908983" | "6081767" | "6113197").PN. OR ("6942304").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/21 09:32
S45	10	("5357800" | "5471400" | "5635631" | "5767389" | "5767397" | "5808909" | "5908983").PN. OR ("6081767").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/21 09:46
S46	338	(303/122.01,122.05,122.08,122).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/04/22 14:28
S47	832	(73/129,132,39,121,19.05,19.04).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/04/22 14:33
S48	457	(303/122.01,122.05,122.08,122,122.03, 122.09).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/04/22 14:35
S49	1277	S47 or S48	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/22 14:36
S50	34	S49 and ((stop or deactivat$4 or turn$1off) same accumulator)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/22 14:38
S51	8	S49 and ((stop or deactivat$4 or turn$1off) near6 accumulator)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/22 14:39
S52	29	S49 and ((stop or deactivat$4 or turn$1off) near6 (pump or accumulator))	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/22 14:48
S53	26	S49 and ((stop or deactivat$4 or turn$1off) near6 (pump))	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/22 18:14
S54	16	S49 and ((stop or deactivat$4 or turn$1off) with accumulator)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/22 18:21
S55	2808	(73/19.04,19.05,121,39,129,132,23.2,862, 700).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/04/29 12:26
S56	11	S55 and ((pump near6 flow) and brak$5)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/29 12:27

5/11/2009 8:57:12 AM
C:\Documents and Settings\rdodd\My Documents\EAST\Workspaces\10564003 - method for brake system monitor.wsp

Page 3

S57	2985	(303/122,12.03,122.08,122.09,122.13,122.14,20,166,3).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/04/29 13:08
S58	44	S57 and ((accumulator or (pressure near2 stor$4)) near6 (discharged or (charged near6 without) or bleed or bled or empty))	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/29 13:25
S59	5	S55 and ((accumulator or (pressure near2 stor$4)) near6 (discharged or (charged near6 without) or bleed or bled or empty))	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/29 14:27
S60	612	303/191	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/29 15:44
S61	62	S60 and maintenance	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/29 15:45
S63	17	S57 and maintenance and ((run or actuate or activate) near5 pump)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/29 16:14
S65	41	S57 and maintenance and ((test or method) with wheel) not (aircraft or rail$5)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/29 16:29
S66	0	S57 and (injury or danger) and (piston near6 clearance)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/29 18:48
S67	32	S57 and (piston near6 clearance)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/29 18:48
S68	98	S57 and (piston near6 (clearance or distance))	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/29 18:48
S69	32	S57 and (piston near6 (clearance or distance)) and (maintenance or injury or danger or warning or alarm)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/29 18:49
S70	2	S57 and (close near6 separating valve)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/29 19:03
S71	2986	(303/122,12.03,122.08,122.09,122.13,122.14,20,166,3).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/04/30 10:21
S72	730	S71 and safety	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/30 10:21
S73	93	S71 and safety and maintenance	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/30 10:22
S74	55	S71 and safety and maintenance not (aircraft or rail$5)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/30 10:22

S75	2	S71 and (close near6 separating valve)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/30 10:40
S76	347	(188/352).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/04/30 10:41
S77	144	S76 and (bleed or bled)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/30 10:42
S78	109	S76 and method	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/30 10:42
S79	347	(188/352).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/04/30 16:21
S80	27	S79 and maintenance	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/30 16:21
S81	75431	brake and (compar$5 or measur$5 or monitor$5 or track$5 or determin$5 or test$5 or evaluat$5) with (value or threshold or pressure or volume)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/30 17:38
S82	60467	brake and (compar$5 or measur$5 or monitor$5 or track$5 or determin$5 or test$5 or evaluat$5) near6 (value or threshold or pressure or volume)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/30 17:39
S83	7253	brake and hydraulic and (maintenanc$5 or servic$5 or injury or danger) and (compar$5 or measur$5 or monitor$5 or track$5 or determin$5 or test$5 or evaluat$5) near6 (value or threshold or pressure or volume)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/30 17:41
S84	26700	("303").CLAS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/06 16:24
S85	3119	S84 and (fingers or injury or danger or warning)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/05/06 16:26
S86	3021	S85 and brake	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/05/06 16:26
S87	1946	S85 and (wheel near4 brake)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/05/06 16:27
S88	3119	S84 and (fingers or injury or danger or warning)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/05/06 16:27
S89	1983	S84 and (fingers or injury or danger)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/05/06 16:27

S90	124	S89 and pump and wheel near5 wheel and accumulator	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/05/06 16:28
S91	295	S84 and (fingers or injury or danger) and (maintenance or repair)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/05/06 16:53
S92	7	"10060225"	EPO; DERWENT	ADJ	ON	2009/05/06 17:12
S93	80	fachinger	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/05/06 17:13
S94	8	S93 and brake	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/05/06 17:13
S95	198	S91 and wheel near5 brake	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/05/06 17:58
S96	99	S91 and (wheel near5 brake) not (wheel near5 lock$4)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/05/06 18:01
S97	177	S91 and (wheel near5 brake) not (danger with (wheel near5 lock$4))	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/05/06 18:02
S98	97	drott and brake	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/05/06 18:06
S99	2987	(303/122,12.03,122.08,122.09,122.13,122.14,20,166,3).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/06 19:07
S100	244	S99 and maintenance	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/05/06 19:07
S101	219	S99 and maintenance not aircraft	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/05/06 19:09
S102	0	junbecker near johann	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/05/07 15:02
S103	24	jungbecker near johann	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/05/07 15:02
S104	3	"4030361"	EPO; DERWENT	ADJ	ON	2009/05/07 15:46
S105	9	wrede near juergen	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/05/07 15:47
S106	0	("2004/0260486").URPN.	USPAT	ADJ	ON	2009/05/07 16:30

5/11/2009 8:57:12 AM
C:\Documents and Settings\rdodd\My Documents\EAST\Workspaces\10564003 - method for brake system monitor.wsp

Page 6

S107	0	("2004/0260486").URPN.	USPAT	ADJ	ON	2009/05/07 16:33
S108	26709	("303").CLAS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/07 18:30
S109	72	S108 and method and (brake near4 bleed)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/05/07 18:30
S110	2	S108 and (method near5 bleed) and brake	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/05/07 18:37
S111	30	S108 and (method with bleed$4) and brake	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/05/07 18:37
S112	26709	("303").CLAS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/08 18:28
S113	29	S112 and (volume with integrat$5)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/05/08 18:28
S114	16	S112 and (volume with integrat$5) and pump	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/05/08 18:28